Retainer Instruction Guide - Hawley

Congratulations! You begin an important phase of your orthodontic treatment... RETENTION. Over the past months, your teeth have moved a considerable distance and are not yet firm. Your orthodontic retainers have been carefully designed to hold your teeth in their new positions. They are your best guarantee that your teeth will stay straight. This period is an essential part of your treatment.

The most common question we are asked is, "How long do I need to wear my retainers?" The honest answer is, "As long as you want to have straight teeth." For the first 6 months after your braces are removed, you will wear the retainer full time, depending on Dr. Lundner's instructions. For the following 12 months you will wear it 12 hours every day (from after dinner until the next morning), then for the following 12 months every night to bed. If you forget to wear it an evening then wear it the entire next day. After that we recommend you wear it most evenings to bed on an indefinite basis, with a minimum of 5 evenings per week. Our bodies

constantly change as we age, and teeth are no different. Dr. Lundner moved your teeth into alignment, but the muscular and dental factors that caused them to be crooked in the first place are still present. These factors will once again try to shift your teeth. To maintain a slim waistline a person needs to exercise. In the same way, think of your retainers as exercise for your teeth to keep them straight.

When to Wear

Wear your retainers full time, unless the doctor instructs otherwise. This means day

and night. Your wear schedule is at the top of this page. For young children the doctor may ask for them to be worn whenever at home as they could easily be lost in school. When the braces have just been removed, it is not enough to only wear the retainers to bed. At 6 months after the braces have been removed, the doctor will decrease the amount of time you need to wear your retainers based on the schedule in the top corner of this page.

Do not repeatedly flick retainers in and out with your tongue. It stresses the material and will cause breakage or poor fit.

How to Insert

For traditional plastic and wire retainers (Hawley retainers), insert the retainer by pushing down on the plastic portion on the inside. Make sure it is fully seated over the teeth. Do not bite on it unless you are certain it is fully seated. Biting down hard on a partially seated retainer could damage it.

How to Remove

Remove the retainer by pulling out from the inner plastic portion. If that doesn't work you can gently pull on the metal clasp around the back tooth by pulling it away from your teeth. Don't pull on the wire across the front teeth. This will break the wire.

When to Remove

Take your retainers out when eating.

If you are going to a friend for one evening or on a one day trip, don't take your retainers as it's too easy to lose them in those situations. Just make sure to wear them as soon as you return.

How to Keep Your Retainers Clean

Clean retainers thoroughly once a day with a toothbrush and water. Brushing retainers removes the plaque, and eliminates odors.

Wear Schedule

0-6 months: Day and Night, meaning "Full Time." 6-18 months: 12 hours per day, no less. 18-30 months: Every night to bed. 30 months and beyond: 5 or more nights per week to bed indefinitely. Perdage

5 or more nights per week to bed indefinitely. Replace quickly if lost, worn out, or if too much buildup of gunk.



If your retainer has any solder joints, avoid the retainer cleaners that are sold in stores or online as they may weaken the solder joints and lead to breakage. If you want to use these retainer cleansers, do NOT soak the entire retainer in the solution. Doing so will cause the metal parts to separate over time. Instead, dip a toothbrush into the solution and use it to brush ONLY the plastic parts of your retainer, NOT the metal. Please ask if you have any questions on this. Some patients are allergic to retainer cleansers, especially those with phosphate allergies.

How to Store When Not in Your Mouth

When retainers are not in your mouth they should ALWAYS be in their case.

Most appliances are lost in school lunch rooms, cafeterias, or restaurants. Do not leave your retainers out on a table, countertop, or cafeteria tray. They will likely get thrown out. Do not keep them in a tissue as crumpled tissues are easily thrown away. Do not put them in your pocket unless they are in their case. They could get crushed and crack. They could also inadvertently find their way into a washing machine with a resulting set of very clean, but unwearable, retainers.

Pets love to chew on them! Some pets (typically dogs) will even chew through the case, so put them inside a drawer or tall cabinet. Just a few seconds in a pet's mouth will destroy the retainer.

Do not drop your retainers over a hard surface as it could crack the plastic.

Make sure to write your name and phone number on your case.

Keep retainers away from hot water, hot car dashboards, pockets, the washing machine, and napkins. Avoid leaving them in the car on hot summer days.

Getting Used to Your Retainers

Initially, you may find it difficult to speak. Practice speaking, reading, or singing out loud to get used to them faster.

When you first get your retainers, you may have extra saliva. This will return to normal within a few days.

Problem Solving

Retainers are breakable, so treat them with care.

Lost/Broken/Cracked/Poorly Fitting Retainer – <u>Call us immediately</u>, or your teeth will shift. Do not wait a week or two.

Your first set of retainers has been paid for in the original treatment fee. However, there will be an additional charge to repair lost or damaged retainers (\$245 for each retainer, depending on the type of retainer).

Your Retainer Check Visits

Please bring your retainer to each appointment. If you don't bring it there is not much we can check.

These visits are usually very quick if you are wearing your retainers as instructed.

These visits are very important as we want to make sure your teeth are not shifting. **It is your responsibility to call to schedule these appointments.** We have these appointments typically 4-6 weeks after your braces are removed, then an optional retainer check an additional 6 months later. We recommend you see us for both of these retainer checks.

If you have any questions or concerns about your retainers, or your retainers need adjusting, please call us. Do not try to adjust them yourself.

Patient Name (Print)

I have received the retainer instruction guide and it has been reviewed with me. I have read these instructions and recommendations, and understand that failure to follow these guidelines may cause my/my child's teeth to shift. If extra treatment is required to correct any shifting, or if new retainers need to be made, I understand extra fees will apply. If I do not contact the office immediately after a retainer is lost or breaks, I understand the teeth may shift.

Patient	Date

Guardian (if applicable)

Date